

Message

From: Alvarez, Gilberto [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1134F4C97D14453594F8161DFA849CFE-GALVAR02]
Sent: 6/4/2018 4:30:59 PM
To: Nwia, Jacqueline [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=d299b56bd7ef46709fb7465fd1e15466-JNwia]; D'Agostino, Kathleen [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=d72bb5826e5a423f99c8f934b7441437-KDagosti]
CC: Aburano, Douglas [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=5058d128e7854b4895441ff23c8f6c01-DAburano]; Liljegren, Jennifer [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=c7098a838cd34f75b8878571fe95d939-JLiljegr]; Svingen, Eric [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=6cc799e3a0e04ea6b190f99e036b7ce7-ESvingen]
Subject: Re: Kohler Andrae Ozone Monitor Question

Kathleen is out, so I have forwarded via cc this and your previous question to Jenny and Eric, as they are involved with the O3 monitors in this area.

Gilberto

From: Nwia, Jacqueline
Sent: Monday, June 4, 2018 11:27 AM
To: Alvarez, Gilberto; D'Agostino, Kathleen
Cc: Aburano, Douglas
Subject: RE: Kohler Andrae Ozone Monitor Question

Deliberative Process / Ex. 5

From: Nwia, Jacqueline
Sent: Monday, June 4, 2018 11:24 AM
To: Alvarez, Gilberto <alvarez.gilberto@epa.gov>; D'Agostino, Kathleen <dagostino.kathleen@epa.gov>
Cc: Aburano, Douglas <aburano.douglas@epa.gov>
Subject: Kohler Andrae Ozone Monitor Question

Could one of you please let me know whether the following statement is true regarding the Kohler-Andrae ozone monitor in Sheboygan, please:

Deliberative Process / Ex. 5

Jacqueline Nwia
Environmental Scientist
Air Monitoring and Analysis Section
Air Toxics and Assessment Branch
Air and Radiation Division
U.S. Environmental Protection Agency, Region 5
77 West Jackson Blvd. (AR-18)
Chicago, IL 60604
ph. (312) 886-6081
nwia.jacqueline@epa.gov